

MASQUERADE DESCOR®



Acoustical Textile System
EXCLUSIVE DISTRIBUTOR OF PONGS®



MASQUERADE DESCOR®

Simply Beautiful

Designed with amazing visual impact and endless inspiring design possibilities. Our Masquerade DESCOR® system is designed to have unprecedented visual impact for any wall, ceiling or panel. This system is only limited by your imagination. It's design that enhances the visual and aural senses to create unprecedented spatial experiences. It is built for modularity and flexibility to meet the needs of contemporary architectural concepts.



Ecole Marie Charlotte Elementary School; Joliette, Quebec



Ecole Marie Charlotte Elementary School; Joliette, Quebec



Visual Impact with Acoustical Advantages



Arcand, Laporte; Klimpt Architecture



Arcand, Laporte; Klimpt Architecture



Arcand, Laporte; Klimpt Architecture

Beautiful ceilings and walls installed in as little as a day are possible with Masquerade DESCOR. This simple yet elegant system gives a flawless look without the dirt and hassle of traditional finishes.



FEATURES


- From Filament to Finished Fabric
- Engineered Stretch System
- Temperature Independent
- Virtually Seamless

ADVANTAGES


- Acoustical Absorption
- Easy, Quick and Clean Installation
- Endless Possibilities
- Innovative
- Flexible and Easy to Replace
- Spectacular Design

APPLICATIONS

- Commercial Buildings
- Schools
- Hotels
- Renovation and New Buildings
- Conference Rooms
- Restaurants



Easy Installation • Endless Possibilities



Before

After



Available with aluminum frames

- Acoustical absorption
- Rubber gasket for easy install
- Extremely accessible
- Easy to change

Elegant

Backlit spaces create stunning and elegant environments that impact the senses. Available in standard and over 256,000 digitally custom printed colors. LED lighting behind the DESCOR high-tech textiles create a modern sense of space that has to be seen to be believed.



Cleveland Yacht Club



MASQUERADE DESCOR

ACOUSTICAL PERFORMANCE

PRODUCT MODEL	ABSORPTION COEFFICIENT— TYPE A MOUNTING						
	125	250	500	1000	2000	4000	NRC
9000PrA-0515pf-T (1/2" 1.5# polyester fill core, DPA)	0.46	0.35	0.38	0.77	0.96	0.95	.60
9000PrA-1015pf-T (1" 1.5# polyester fill core, DPA)	0.48	0.41	0.79	1.02	0.98	0.88	.80
9000PrA-2015pf-T (2" 1.5# polyester fill core, DPA)	0.60	0.70	1.15	0.92	0.87	0.84	.90
9000PrA-0560fg-T (1/2" 6# fiberglass core, DPA)	0.48	0.29	0.43	0.92	0.97	0.92	.65
9000PrA-1060fg-T (1" 6# fiberglass core, DPA)	0.59	0.49	0.93	0.97	0.92	0.87	.85
9000PrA-2060fg-T (2" 6# fiberglass core, DPA)	0.68	0.90	1.08	0.90	0.90	0.87	.95

CODES & CERTIFICATES

- ★ Class A Per ASTM E84
- ★ NRC .60-.95 per ASTM C423-84A & E795

TECHNICAL SUPPORT


- Technical assembly and installation instructions available upon request
- DESCOR Premium Acoustic requires a minimum airspace (2" recommended), depending on color chosen, to avoid acoustical core and/or ceiling irregularities from telegraphing through

FINISHES AVAILABLE


- **DESCOR Premium Acoustic**, available in White and Black – Custom colors and images also available
- **DESCOR Premium**, available in White, Natural White, Beige, Yellow and Black – Custom colors and images also available
- **DESCOR Premium Gradient** – Custom colors available and Black – Custom colors and images also available
- **Silencio 5**, available in white and black, and a variety of colors
- **Silencio 10**, available in white and black, and a variety of colors
- **Akutex**, available in 16 standard colors
- **DESCOR Premium Star**, available in Gray, Dark Beige, Green

PRINTING PROCESS


- Custom colors and designs to satisfy any need
- Premier color saturation: crisp, vibrant, lively color graphics
- Adobe Photoshop, Adobe Illustrator or print-ready PDF graphic files required
- When using raster of pixel-based or photographic imagery we recommend the highest possible resolution images be used for printing. Anything less than high res and super high res will produce less than desirable printing results including blurriness and pixelated images. Each project will have its own specs based on scale so please contact us for more information.




1/2" AP



1/2" APC



Aluminum



1/2" AM

TRACK PROFILES

- 1/2" profile, standard
- For additional thicknesses, 1/2" track can be furred out to accommodate 1" and 2" depths
- Aluminum track available when fabric has gasket for custom sizes

GENERAL NOTES

- Store products in a cool, dry and temperature interior location not less than 40°F and maintain 20-40% relative humidity prior to, during and after installation
- Store and protect products from the elements and from damage
- Store products out of direct UV sunlight
- Uneven and imperfect wall surfaces may product undesirable overall appearance of products
- Do not subject acoustical products to critical edge lighting without first consulting manufacturer
- Before installing Masquerade DESCOR, please request copies of installation drawings and details

We believe this information is the best currently available on the subject. It is subject to revision as additional knowledge and experience are gained. MBI makes no guarantee of results and assumes no obligation or liability whatsoever in connection with the use of this information. ©2020 MBI Products Company, Inc.



Since 1965

INNOVATION FOR THE SOUND EXPERIENCE

WWW.MBIPRODUCTS.COM

801 Bond Street
Elyria, Ohio 44035-3318
t: 440.322.6500
fx: 440.322.1900